



SAFETY DATA SHEET

1. Identification

Product Identifier	Gorilla Erase HD	
Other means of identification		
Product code	PCS-3211	
Recommended use	Heavy duty degreaser.	
Recommended restrictions	Professional use only.	
Manufacturer/distributor/supplier/importer information		
Company name	Professional Cleaning Supply	
Address		
Tulsa	7925 E 40 th St. Suite A Tulsa, OK 74145	
Oklahoma City	4301 SW 21 st St. Oklahoma City, OK 73108	
Telephone		
Tulsa	(918) 250-9000	
Oklahoma City	(405) 681-1822	
Emergency phone number	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage	Category 1
	Skin irritant	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not listed.	
Label elements		



Signal word	DANGER
Hazard statement	May be harmful if swallowed. Causes serious eye damage. Causes skin irritation.
Precautionary statement	
Prevention	Wear eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Wear protective gloves.
Response	Call a POISON CENTER/doctor/medical professional if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/medical professional. IF ON SKIN: Wash with plenty of water for at least 15 minutes. Specific treatment (see section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	No prescriptive instruction
Disposal	No prescriptive instruction



SAFETY DATA SHEET

Hazard(s) not otherwise classified (HNOC) None.
Supplemental information None.

3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	85-95%
2-Butoxyethanol	111-76-2	Solvent	5-15%
Proprietary Surfactant	PROPRIETARY	Surfactant	1-5%
Potassium Hydroxide	1310-58-3	Builder	1-5%
Sodium Tripolyphosphate Anhydrous	7758-29-4	Chelating Agent	0-1%
Sodium metasilicate pentahydrate	6834-92-0	Chelating Agent	0-1%
Tetrasodium Pyrophosphate	231-767-1	Buffering Agent	<0.1%
Sodium Trimetaphosphate	7785-84-4	Processing Agent	<0.01%

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be located in work area.
Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)
Unsuitable extinguishing media None found in literature.
Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk.
Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards No unusual fire or explosion hazards noted.



SAFETY DATA SHEET

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, absorbent wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not release into the general environment (see section 12). Avoid discharge into surface drainage structures or other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-butoxyethanol	PEL	50 ppm
Potassium hydroxide	PEL	2 mg/m ³

US ACGIH Threshold Limit Values

Components	Type	Value
2-butoxyethanol	STEL	20 ppm
Potassium hydroxide	STEL	2 mg/m ³

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.

Appropriate engineering controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Users should check with manufacturers to confirm the breakthrough performance



SAFETY DATA SHEET

of their products. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Suggested protective materials: Nitrile and PVC rubber.

Other	Wear long sleeve shirts with full-length pants. Chemical apron and sleeve are recommended protection against splash or excessive exposure scenarios
Respiratory protection	Respiratory protection not required under conditions of normal use.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Liquid.
Color	Colorless
Odor	Characteristic. Hydrocarbon
Odor threshold	Not available.
pH	13-14
Melting/freezing point	Not available.
Initial boiling point and boiling range	>212°F (100°C)
Flash point	>212°F (100°C)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.01
Solubility in water	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Decomposes on heating.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.



SAFETY DATA SHEET

11. Toxicological information

Information on likely routes of exposure

- Ingestion** Corrosive to mucous membranes, will damage tissue if there is prolonged contact.
- Inhalation** Expected to be a low inhalation hazard.
- Skin contact** Repeated and/or prolonged skin contact causes irritation and/or burns.
- Eye contact** Causes severe eye damage. May cause severe corneal injury.

Symptoms related to the physical, chemical and toxicological characteristics Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity May be harmful if swallowed.

Product Erase HD (CAS mixture)		
Exposure Classification	Route and Species	LD ₅₀
Acute	Oral, rat	3,760 mg/kg (estimated)
Acute	Dermal, rabbit	> 5,430 mg/kg (estimated)
*Estimates for product may be based on additional component data not shown		

- Skin corrosion/irritation** Causes skin irritation.
- Serious eye damage/ irritation** Causes serious eye damage.
- Respiratory sensitization** Not classified.
- Skin sensitization** Not classified.
- Germ cell mutagenicity** Not classified.
- Carcinogenicity** Not considered a carcinogen.
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not Listed.
- Reproductive toxicity** Not classified.
- Specific target organ toxicity – single exposure** Not classified.
- Specific target organ toxicity – repeated exposure** Not classified.
- Aspiration hazard** Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity		
Product Erase HD (CAS mixture)		
Aquatic Receptor	Species	Test Thresholds
Crustacea	Daphnia (water flea)	EC ₅₀ (48-hr): 1,627mg/L (estimated)
Fish	Fathead Minnow (<i>Pimephales promelas</i>)	LC ₅₀ (96-hr): 1,925 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

- Persistence and degradability** Alcohol ethoxylates are considered readily biodegradable. Other components react to normal oxidation in an open environment
- Bio-accumulation potential** No data available.
- Mobility in soil** Not available Chemicals of these classes are highly water soluble and will partition readily to water and weakly to particles in low-clay soil matrices. They are expected to exhibit moderate to high mobility in saturated and semi-saturated soils
- Other adverse effects** The pH of this product may cause it to be toxic to aquatic and terrestrial organisms in elevated concentrations. No other adverse environmental effects known (*i.e. ozone depleting substance, tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor or other deleterious environmental effect*)

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
Local disposal regulations	Dispose in accordance with all applicable regulations. As packaged, this product may meet criteria defining RCRA corrosive (D002) hazardous wastes when disposed. (40 CFR Part 261, Subpart C)
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

USDOT	
UN number	UN1760
UN proper shipping name	Corrosive Liquids, n.o.s. (Contains: Potassium Hydroxide)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not intended to be transported in bulk.
DOT LABEL or PLACARD	



15. Regulatory information

US federal regulations	
SARA 302 Extremely hazardous substance	Not listed.
SARA 304 Emergency release notification	Not listed.
SARA 311/312 Hazard Categories	



SAFETY DATA SHEET

Immediate Hazard - Yes
 Delayed Hazard – No
 Fire Hazard – No
 Pressure Hazard – No
 Reactivity Hazard – No

SARA 313 (TRI reporting) 2-butoxyethanol (Glycol Ether Category)

California Proposition 65 This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to , www.P65Warnings.ca.gov

16. Other information, including date of preparation or last revision

Issue date 1/22/2015
Revision date 11/25/2020
Version # 2
HMIS® ratings Health: 2
 Flammability: 0
 Physical hazard: 0

HEALTH	2
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA Rating Health: 2
 Flammability - 0
 Reactivity - 0



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information Updated composition and HMIS/NFPA ratings in accordance with industry standards