

8155 E. 46th St. Tulsa, OK 74145 | 888.313.8173

Safety Data Sheet Orange Fusion

1. IDENTIFICATION

Synonyms none
 CAS# see Part 3, below
 Material Use carpet cleaner & deodorizer

IN AN EMERGENCY CALL: INFOTRAC 1-800-535-5053

2. HAZARD IDENTIFICATION

GHS Class (Category)	<i>skin irritant (3)</i>	<i>eye irritant (2A)</i>	<i>combustible (4)</i>	<i>chronic aquatic (4)</i>
Signal Words	WARNING <i>no Pictogram</i>	WARNING	WARNING <i>no Pictogram</i>	no Signal Word <i>no Pictogram</i>
Hazard Statements	<i>causes mild skin irritation (H315)</i>	<i>causes serious eye irritation (H319)</i>	<i>combustible liquid (H227)</i>	<i>may cause long-lasting harmful effects to aquatic life (H413)</i>



GHS Precautionary Statements for Labeling

P210, P370 Keep away from hot surfaces. In case of fire, use water spray to extinguish.
 P262, P264 Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.
 P270, P280 Do not eat, drink or smoke when using this product. Wear protective gloves of rubber.
 P273 Avoid release to the environment.

3. COMPOSITION

	CAS NUMBER	%	TLV ppm / mg/m ³	LD ₅₀ (mg/kg) ORAL	LD ₅₀ (mg/kg) SKIN	LC ₅₀ ppm INHALATION
2-Propanol	67-63-0	5-10%	200 / 490	>4400	12,900	>5920ppm
Nonionic Surfactant	on request	5-10%	not listed	>2000	not known	not known
Sweet Orange Oil	8008-57-9	1-5%	not listed	>5000	>5000	not known
Water	7732-18-5	balance	not toxic	90.000	not toxic	not toxic

NOTE: Several other substances are present at below 0.5%; none are sufficiently hazardous to require listing at above 0.1%.

4. FIRST AID

SKIN: Wash with plenty of water. Remove contaminated clothing and do not reuse until laundered. Seek medical help promptly if there is persistent itching or redness in the affected area.
EYES: Wash eyes with plenty of water, holding eyelids open. Seek medical assistance if there is any irritation.
INHALATION: Remove from contaminated area promptly. **CAUTION: Rescuer must not endanger himself!** If victim's breathing stops, administer artificial respiration and seek medical aid promptly.
INGESTION: Give plenty of water to dilute product. Do not induce vomiting (NOTE below). Keep victim quiet. If vomiting occurs, lower victim's head below hips to prevent inhalation of vomited material. Seek medical help promptly.

NOTE: Inadvertent inhalation of vomited material may seriously damage the lungs. The danger of this is greater than the risk of poisoning through absorption of this relatively low-toxicity product. The stomach should only be emptied under medical supervision, after the installation of an airway to protect the lungs.

cont'd next page

PLEASE ENSURE THAT THIS SDS IS GIVEN TO, AND EXPLAINED TO PEOPLE USING THIS PRODUCT.

EMERGENCY INFORMATION: INFOTRAC 1-800-535-5053

5. FLAMMABILITY & FIRE-FIGHTING

Flash Point	not measured; above 60°C / 140°F
Autoignition Temperature	not known – <i>may burn under fire conditions</i>
Flammable Limits	not known
Combustion Products	carbon monoxide, nitrogen oxides, smoke, part oxidized hydrocarbon fragments
Firefighting Precautions	as for materials sustaining fire; firefighters must wear SCBA
Static Discharge	cannot accumulate a static charge

6. ACCIDENTAL RELEASE MEASURES

Leak Precaution	dike to control spillage and prevent environmental contamination
Handling Spill	recover free liquid with suitable pumps; absorb residue on an inert sorbent, sweep, shovel & store in closed containers for disposal

7. HANDLING & STORAGE

Store and use in a cool dry environment, away from open flames and oxidizing agents. Always replace cap prior to moving the container!

Avoid generating or breathing product vapor or mist. If mist or vapor form in use, install adequate ventilation to maintain airborne concentration of the product below the TLV (*see Part 8, below*). Avoid prolonged contact with skin and wash work clothes frequently. An eye bath should be available near the workplace.

8. EXPOSURE CONTROL & PERSONAL PROTECTION***2-Propanol:***

ACGIH TLV	200ppm / 491mg/m ³	ACGIH STEL 400ppm / 983mg/m ³
OSHA PEL	400ppm / 980mg/m ³	OSHA STEL 500ppm / 1225mg/m ³

Ventilation	no special mechanical ventilation required
Hands	wear rubber gloves – <i>other types also protect; always confirm suitability with supplier</i>
Eyes	safety glasses with side shields – <i>always protect eyes!</i>
Clothing	no special protective clothing required

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor & Appearance	clear, slightly yellow liquid with an odor of oranges
Odor Threshold	not known
Vapor Pressure	below 33mmHg / 4.4kPa (20°C/ 68°F) – <i>isopropanol</i>
Evaporation Rate (<i>Butyl Acetate = 1</i>)	as for water
Vapor Density (air = 1)	0.6 (<i>water</i>), 2.1 (<i>isopropanol</i>); <i>other components do not form a vapor</i>
Boiling Point	approx. 100°C / 212°F
Freezing Point	approx. -5°C / 23°F
Specific Gravity	0.982-0.996 (20/20°C)
Water Solubility	complete
Viscosity	not known
pH	6.5-8.5

cont'd next page**PLEASE ENSURE THAT THIS SDS IS GIVEN TO, AND EXPLAINED TO PEOPLE USING THIS PRODUCT.****EMERGENCY INFORMATION: INFOTRAC 1-800-535-5053**

10. REACTIVITY

Dangerously Reactive With	none known
Also Reactive With	none known
Chemical Stability	stable; will not polymerize
Decomposes in Presence of	no decomposition triggers known
Decomposition Products	as for Combustion Products, above
Mechanical Impact	not sensitive

11. TOXICITY INFORMATION

i. ACUTE EXPOSURE

Skin Contact	may irritate skin if exposure is prolonged – <i>through removal of natural skin oils</i>
Skin Absorption	slight; toxic effects unlikely by this route
Eye Contact	severely irritating
Inhalation	no effects known
Ingestion	headache, dizziness, drowsiness, intoxication, vomiting & stomach ache
Calculated LD ₅₀ (oral)	16,420mg/kg (rat)
Calculated LD ₅₀ (skin)	96,000mg/kg (rabbit)
LC ₅₀ (inhalation)	<i>insufficient information to calculate</i>

ii. CHRONIC EXPOSURE

General	prolonged or repeated exposure may cause dermatitis
Sensitizing	not a sensitizer to most people; a very minor components (below 0.01%) is a skin sensitizer; <i>far too little present to affect most people – however, it is prudent to avoid skin contact</i>
Carcinogen/Tumorigen	not known to be a tumorigen or a carcinogen in humans or animals
Reproductive Effect	no known effect on humans or animals
Mutagen	not known to be a mutagen or teratogen in humans or animals
Synergistic With	not known

12. ECOLOGICAL INFORMATION

2-Propanol:

Bioaccumulation	low potential for bioaccumulation
Biodegradation	biodegrades readily & rapidly; aerobic >75% in 28 days; anaerobic >65% in 20 days
Abiotic Degradation	reacts with atmospheric hydroxyl (OH) radicals; estimated ½-life in air 3.2 days
Mobility in soil, water	water soluble; moves readily through soil and the water column
Aquatic Toxicity	
LC ₅₀ (Fish, 96)	9640, 10,400 & 11,130mg/liter (Pimephelas promelas), 4200mg/liter (Rasbora heteromorpha)
LC ₅₀ (Crustacea, 48)	1100 & 1400mg/l (Crangon crangon), 13,300mg/liter (Daphnia magna)
EC ₅₀ (Algae, 96hr)	1000mg/l (Scenedesmus subspicatus)
LC ₅₀ (Microorganisms)	1050 & 5175mg/l (Pseudomonas putida), 41,676mg/liter (“activated sludge, domestic sewage”)

Nonionic Surfactant:

Bioaccumulation	surfactant does not bioaccumulate; <i>the breakdown product, unethoxylated nonylphenol, does accumulate, and is toxic to aquatic life</i>
Biodegradation	biodegrades readily in the presence of oxygen; 34% biodegradation in 20 days yielding di- & mono-ethoxylate; <u>these latter compounds resist further biodegradation (below)</u>
Abiotic Degradation	not known
Mobility in soil, water	sufficiently water soluble to move readily through soil and the water column
Aquatic Toxicity	
LC ₅₀ (Fish, 96 hr)	2.1-2.6mg/liter (Pimephelas promelas), 13.9-19.5mg/liter (Poecilia reticulata – 48hr)
LC ₅₀ (Crustacea, 48hr)	3.8-6.2 & 18.2mg/liter (Daphnia magna), 20.9mg/liter (Gammarus pulex)
EC ₅₀ (Algae, 96hr)	15mg/liter (Lemna minor), 7mg/liter (Scenedesmus quadricauda)

cont'd next page

PLEASE ENSURE THAT THIS SDS IS GIVEN TO, AND EXPLAINED TO PEOPLE USING THIS PRODUCT.

EMERGENCY INFORMATION: INFOTRAC 1-800-535-5053

12. ECOLOGICAL INFORMATION, cont'd**Sweet Orange Oil:**

Bioaccumulation	low potential for bioaccumulation
Biodegradation	biodegrades; some components slowly, some rapidly; rates unknown
Abiotic Degradation	reacts with atmospheric hydroxyl (OH) radicals; ½-life unknown
Mobility in soil, water	water insoluble; immobile in soil and the water column
Bioaccumulation	low potential for bioaccumulation
Biodegradation	biodegrades readily & rapidly; aerobic >75% in 28 days; anaerobic >65% in 20 days
Abiotic Degradation	reacts with atmospheric hydroxyl (OH) radicals; estimated ½-life in air 3.2 days
Mobility in soil, water	water soluble; moves readily through soil and the water column
Aquatic Toxicity:	<i>data unavailable¹; somewhat toxic, but low % in this product triggers only the lowest aquatic toxicity classification</i>

13. DISPOSAL CONSIDERATIONS

Waste Disposal	do not flush to sewer; due to the presence of nonylphenol ethoxylate, waste material should be handled by a hazardous waste specialist
Containers	Drums should be reused. Recondition and pressure test by a licensed reconditioner prior to re-use. Pails must be vented and thoroughly dried prior to crushing and recycling. IBCs (intermediate bulk containers): polyethylene bottle must be pressure tested & recertified at 30 months. Replace at 60 months (5 years). Steel containers must be inspected, pressure tested & recertified every 5 years. Warning: never cut, drill, weld or grind on or near this container, even if empty.

14. TRANSPORT INFORMATION**USA 49 CFR & Canada/International TDG**

Product Identification Number	UN – not regulated for transport
Shipping Name	not regulated for transport
Classification	not regulated for transport
Marine Pollution	not a marine pollutant
ERAP Required	No

15. REGULATIONS

Canada DSL	on inventory
U.S.A. TSCA	on inventory
Europe EINECS	on inventory

16. OTHER INFORMATION

Date of Preparation **May 2015**

Date of Revision **-**

Prepared for PCS

With data from the Registry of Toxic Effects of Chemical Substances (RTECS), Hazardous Substance Data Base (HSDB), Cheminfo (CCOHS), OSHA, IUCLID Datasheets (European Chemical Substance Information System - ESIS), & others sources (below if used), as required/available

(1) Revised Robust Summaries for Monoterpene Hydrocarbons as submitted to the U.S.A. EPA:

<http://www.epa.gov/chemrtk/pubs/summaries/monoterp/c13756rr.pdf>

last page of SDS

PLEASE ENSURE THAT THIS SDS IS GIVEN TO, AND EXPLAINED TO PEOPLE USING THIS PRODUCT.

EMERGENCY INFORMATION: INFOTRAC 1-800-535-5053