

SAFETY DATA SHEET

1. Identification

Product Identifier Auto Armor

Other means of identification

Product code PCS-9440

Recommended use Tire cleaner and protectant.

Recommended restrictions None.

Manufacturer/distributor/supplier/importer information

Company name Professional Cleaning Supply

Address

Tulsa 7925 E 40th St. Suite A

Tulsa, OK 74145

Phone (918) 250-9000

Oklahoma City 4301 SW 21st St.

Oklahoma City, OK 73108

Phone (405) 681-1822

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified.

Health hazardsSkin irritantCategory 3Sensitization, skinCategory 1

Environmental hazards Not classified. **OSHA defined hazards** Not listed.

Label elements



Signal word Warning.

Hazard statement Causes mild skin irritation.

May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing mist or spray. Contaminated work clothing should not be allowed out of

the workplace. Wear protective gloves.

Response IF ON SKIN: Wash with plenty of water. Specific treatment (see section 4 on the Safety

Data Sheet). If skin irritation or rash occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information

None.



3. Composition/information on ingredients

Mixture Component(s)				
Chemical name	CAS number	Purpose	%	
Water	7732-18-5	Solvent	75-85%	
Proprietary Surfactant	PROPRIETARY	Surfactant	10-20%	
Propylene Glycol	57-55-6	Humectant	1-5%	
2-Butoxyethanol	111-76-2	Solvent	0-1%	
Cocamidopropyl Betaine	61789-40-0	Surfactant	0-1%	
Fragrance Component	PROPRIETARY	Fragrance	0-1%	
DMDM Hydantoin	6440-58-0	Preservative	0-1%	
Sodium Chloride	7647-14-5	Viscosity Agent	<0.1%	
Polyethylene Glycol	25322-68-3	Binder	<0.1%	
Diethyl Phthalate	84-66-2	Fragrance Component	<0.1%	
Silicone Emulsion Antifoam	PROPRIETARY	Anti-Foaming Agent	<0.01%	
Formaldehyde	50-00-0	Preservative	<0.01%	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Get medical attention. Eye wash stations should be located in work area.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.

Most important Dermatitis. Rash. May cause an allergic skin reaction.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate protective equipment and clothing during clean-up. Wear eye/face

protection.



Methods and materials for containment and cleaning up Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

Environmental precautions Do not release into the environment (see section 12). Avoid discharge into areas not

consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities Store in original tightly closed container. Do not store in extreme conditions.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components Type 2-butoxvethanol PEL 50 ppm

US ACGIH Threshold Limit Values

Value Components Type 2-butoxyethanol **STEL** 20 ppm

Biological limit values

ACGIH Biological Exposure Indices

Value **Determinant** Components **Species Sampling Time** 200 mg/g Creatinine Urine End of shift. 2-butoxyethanol

Appropriate engineering

Emergency eye wash stations and showers should be readily accessible. Provide natural or

controls

mechanical ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other None.

Respiratory protection Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene

Material Name: Auto Armor

When using do not smoke or use chewing tobacco. Always observe good personal hygiene considerations measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.



9. Physical and chemical properties

Appearance

Physical State Milky liquid.
Color White.

Odor Cherry

Odor threshold Not available.

pH 4.5-5.5

Melting/freezing point Not available.

Initial boiling point and boiling range

>212°F (100°C)

Flash point >385°F (196°C)
Evaporation rate Not available.
Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1)1.0Solubility in waterSoluble.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Decomposes on heating.

Viscosity Not available.

10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoidHeat, flames can cause product to decompose.Incompatible materialsStrong acids, strong bases, strong oxidizing agents.

Hazardous decomposition

products

Carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes

of exposure

IngestionExpected to be a low ingestion hazard.InhalationExpected to be a low inhalation hazard.

Skin contactRepeated and/or prolonged skin contact may cause slight irritation.Eye contactRepeated and/or prolonged eye contact may cause slight irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Dermatitis. Rash. May cause an allergic skin reaction.

Acute toxicity Not established.

Product Auto Armor (CAS mixture)

Material Name: Auto Armor



Exposure Classification	Route and Species	LD50 /LC50		
Acute	Oral, rat	>5,000 mg/kg (estimated)		
*Estimates for product may be based on additional component data not shown				

Skin corrosion/irritation

May cause mild skin irritation.

Serious eye damage/

Not classified.

irritation

Not classified. **Respiratory sensitization**

May cause an allergic skin reaction. Skin sensitization

Germ cell mutagenicity Not classified.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity Specific target organ toxicity Not classified. Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

Aspiration hazard Not considered an aspiration hazard.

12. Ecological information

Ecotoxicity				
Product Auto Armor (CAS mixture)				
Aquatic	Species	LC ₅₀ /EC ₅₀		
Fish	Oncorhynchus mykiss	2995 mg/L (estimated) 96-hr		
Crustacea	Daphnia magna	2,000 mg/L (estimated) 48-hr		
*Estimates for product may be based on additional component data not shown				

Persistence and

2-butoxyethanol is considered readily biodegradable.

degradability

Bioaccumulative potential Potential to bioaccumulate is low.

Mobility in soil Not available. Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Do not release to the environment.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

DOT



Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 313 (TRI reporting)

2-butoxyethanol (Glycol ether category)

California Proposition 65

WARNING: This product can expose you to Formaldehyde, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

 Issue date
 4/17/2015

 Revision date
 11/23/2020

Version # 2

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0



NFPA ratings Health: 1

Flammability: 0 Instability: 0





Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by

the text

Revision information Updated composition and HMIS/NFPA ratings in accordance with industry standards

Material Name: Auto Armor