




## SAFETY DATA SHEET

### 1. Identification

<b>Product Identifier</b>	<b>Gorilla Radiant Gloss Finish</b>	
<b>Other means of identification</b>		
<b>Product code</b>	PCS-2305	
<b>Recommended use</b>	Water based wood finish.	
<b>Recommended restrictions</b>	Professional use only.	
<b>Manufacturer/distributor/supplier/importer information</b>		
<b>Company name</b>	Professional Cleaning Supply	
<b>Address</b>		
<b>Tulsa</b>	7925 E 40 <sup>th</sup> St. Suite A Tulsa, OK 74145	
<b>Phone</b>	(918) 250-9000	
<b>Oklahoma City</b>	4301 SW 21 <sup>st</sup> St. Oklahoma City, OK 73108	
<b>Phone</b>	(405) 681-1822	
<b>Emergency phone number</b>	PERS (800) 633-8253 24 hour Emergency (800) 633-8253	

### 2. Hazard(s) Identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Skin irritation Eye irritation	Category 3 Category 2A
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	Not listed.	
<b>Label elements</b>		
<b>Signal word</b>	Warning.	
<b>Hazard statement</b>	Causes mild skin irritation. Causes serious eye irritation.	
<b>Precautionary statement</b>		
<b>Prevention</b>	Wash hands and exposed skin thoroughly after handling. Wear eye protection/face protection.	
<b>Response</b>	If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
<b>Storage</b>		
<b>Disposal</b>		
<b>Hazard(s) not otherwise classified (HNOC)</b>	None.	
<b>Supplemental information</b>	None.	



### 3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	Purpose	%
Water	7732-18-5	Solvent	65-75%
Acrylic Polymers	PROPRIETARY	Glossing Agent	10-20%
Ethoxydiglycol	111-90-0	Solvent	1-5%
Styrene/Acrylic Polymer	PROPRIETARY	Leveling Agent	1-5%
Polymer Blend	PROPRIETARY	Dispersant	1-5%
Tris(2-butoxyethyl) phosphate	78-51-3	Leveling Agent	1-5%
Zinc ammonia carbonate complex	38714-47-5	Cross Linking Agent	1-5%
2,2,4-trimethyl-1,3-pentanediol	6846-50-0	Plasticizer	1-5%
Surfactant	PROPRIETARY	Surfactant	0-1%
Fluorinated Alcohol	PROPRIETARY	Surfactant	<0.1%
Ammonium Hydroxide	1336-21-6	pH Adjuster	<0.1%
Residual Monomers	PROPRIETARY	Stabilizer	<0.1%
DMDM Hydantoin	6440-58-0	Preservative	<0.1%
Silicone Emulsion	PROPRIETARY	Anti-Foaming Agent	<0.01%

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
<b>Most important symptoms/effects, acute and delayed</b>	Dermatitis. Rash. Causes skin irritation and serious eye irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.



## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

### Methods and materials for containment and cleaning up

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

### Environmental precautions

Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

### Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Do not store in extreme conditions.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### U.S. AIHA Workplace Environmental Exposure Level (WEEL) Guide (2009)

Components	Type	Value
Diethylene Glycol Monoethyl Ether	TWA	25 ppm (140 mg/m <sup>3</sup> )

### Biological limit values

None established

### Appropriate engineering controls

Emergency eye wash stations and showers should be readily accessible. Provide natural or mechanical ventilation.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves.

##### Other

Wear long sleeve shirts with pants.

#### Respiratory protection

Respiratory protection not required.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.



## 9. Physical and chemical properties

<b>Appearance</b>	
Physical State	Milky liquid.
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
pH	7-8
Melting/freezing point	Not available.
Initial boiling point and boiling range	212°F (100°C)
Flash point	>200°F.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	1.03
Solubility in water	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	>212°F (100°C)
Viscosity	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	This product is stable and non-reactive under normal conditions of use.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Heat, flames.
<b>Incompatible materials</b>	Reactive metals (e.g. sodium, calcium, zinc), strong acids, oxidizing agents
<b>Hazardous decomposition products</b>	Carbon monoxide, carbon dioxide

## 11. Toxicological information

<b>Information on likely routes of exposure</b>	
Ingestion	May result in headache and nausea.
Inhalation	Mist is irritant to respiratory tract.
Skin contact	Repeated and/or prolonged skin contact causes skin irritation.
Eye contact	Liquid or mist causes serious eye irritation.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Dermatitis. Rash. May cause an allergic skin reaction, skin irritation, serious eye irritation.
<b>Acute toxicity</b>	Causes mild skin irritation and serious eye irritation.



Product - Gorilla Radiant Gloss Finish (CAS mixture)		
Exposure Classification	Route and Species	LD <sub>50</sub>
Acute	Oral, rat	>5,000 mg/kg estimated
Acute	Inhalation, rat	78.9 mg/L estimated
*Estimates for product may be based on additional component data not shown		

<b>Skin corrosion/irritation</b>	Causes mild skin irritation.
<b>Serious eye damage/irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	Not classified.
<b>Skin sensitization</b>	Not classified.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	Not considered a carcinogen.
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	
	Not Listed.
<b>Reproductive toxicity</b>	Not classified.
<b>Specific target organ toxicity – single exposure</b>	Not classified.
<b>Specific target organ toxicity – repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not considered an aspiration hazard.

## 12. Ecological information

Ecotoxicity		
Product	Gorilla Radiant Gloss Finish (CAS mixture)	
Aquatic	Species	Test Results
Crustacea	Daphnia (water flea)	EC <sub>50</sub> (48-hr): >2,000 mg/L (estimated)
*Estimates for product may be based on additional component data not shown		

<b>Persistence and degradability</b>	No data available.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	Not available.
<b>Other adverse effects</b>	The alkalinity of this material may have a local effect on ecosystems sensitive to changes in pH.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations
<b>Waste from residues/unused product</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.



## 14. Transport information

### DOT

Not regulated as dangerous goods.

## 15. Regulatory information

### US federal regulations

#### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 304 Emergency release notification

Not listed.

#### SARA 311/312 Hazard Categories

Immediate Hazard - Yes

Delayed Hazard – No

Fire Hazard – No

Pressure Hazard – No

Reactivity Hazard – No

#### SARA 313 (TRI reporting)

Not listed.

#### California Proposition 65

#### California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

## 16. Other information, including date of preparation or last revision

Issue date	3/30/2015
Revision date	12/7/2020
Version #	2
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	<input type="checkbox"/>

NFPA ratings	Health: 1 Flammability: 0 Instability: 0
--------------	--





**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

**Revision information**

Updated composition and HMIS/NFPA ratings in accordance with industry standards.